

L Number	Hits	Search Text	DB	Time stamp
1	0	((compensat\$3 or correct\$3) near5 (thermomet\$3 near3 (bubble or code or error or offset))) near6 (increas\$3 or decreas\$3 or adjust\$3 or var\$5 or increment\$3 or decrement\$3) near3 (threshold or voltage or potential)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 12:30
2	0	((compensat\$3 or correct\$3) near9 (thermomet\$3 near3 (bubble or code or error or offset))) near9 (increas\$3 or decreas\$3 or adjust\$3 or var\$5 or increment\$3 or decrement\$3) near3 (threshold or voltage or potential)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 12:31
3	0	((compensat\$3 or correct\$3 or calibrat\$3 or test\$3) near9 (thermomet\$3 near3 (bubble or code or error or offset))) near9 (increas\$3 or decreas\$3 or adjust\$3 or var\$5 or increment\$3 or decrement\$3) near3 (threshold or voltage or potential)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 12:32
4	128	((compensat\$3 or correct\$3 or calibrat\$3 or test\$3) near9 (thermomet\$3 near3 (bubble or code or error or offset)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 12:32
5	45	((compensat\$3 or correct\$3 or calibrat\$3 or test\$3) near9 (thermomet\$3 near3 (bubble or code or error or offset))) ) and 341/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 12:32
6	24	((compensat\$3 or correct\$3 or calibrat\$3 or test\$3) near9 (thermomet\$3 near3 (bubble or code or error or offset))) and (increas\$3 or decreas\$3 or adjust\$3 or var\$5 or increment\$3 or decrement\$3) near3 (threshold or voltage or potential) and 341/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 12:33